

# SENTRY



## Acid free, disinfecting ..... BATHROOM CLEANER

Disinfectant-Cleaner-Fungicide-Mildewstat-Virucide\* Deodorizer for Hospitals, Institutional and Industrial Use, Effective in the presence of 5% serum contamination

### Active Ingredients

Octyl decyl dimethyl ammonium chloride .....	0.025%
Dioctyl dimethyl ammonium chloride .....	0.010%
Didecyl dimethyl ammonium chloride .....	0.015%
Alkyl (C <sub>14</sub> , 50%; C <sub>12</sub> , 40%, C <sub>16</sub> , 10%) dimethyl benzyl ammonium chloride.....	0.034%

<b>Inert Ingredients.....</b>	<b>99.916%</b>
<b>Total</b>	<b>100.000%</b>

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION FIRST AID

Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after 5 minutes, then continue rinsing eye.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 6836-152-17217 EPA Establishment No. 17217-MA-1

**SPECTROWAX  
CORPORATION**  
70 Highborn Street  
Boston, MA 02135



NET CONTENTS:  
One Quart (32 Fl. Oz.) 946 ml

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

When used as directed, this product will deodorize surfaces in restrooms and toilet areas, behind and under sinks and counters, garbage cans, and garbage storage areas, and other places where bacterial growth can cause mal-odors.

Cross-contamination is of major housekeeping concern. This product has been formulated to aid in the reduction of cross-contamination in not only hospitals, but in institutions and industry.

It is a one-step (Hospital Use) disinfectant-cleaner that is effective against a broad spectrum of bacteria, is virucidal\* (including HIV-1, the AIDS virus and Hepatitis B Virus), fungicidal, and inhibits the growth of mold and mildew and their odors when used as directed.

This product is a "one step" (hospital Use) disinfectant. Bactericidal according to the current AOAC Use-Dilution Test Method. Fungicidal according to the AOAC Fungicidal Test and Virucidal\* according to the virucidal qualification modified in the presence of 5% organic serum against:

(Bacteria)  
Pseudomonas aeruginosa (Pseudomonas) • Staphylococcus aureus (Staph) • Salmonella choleraesuis (Salmonella) • Acinetobacter baumannii (Acinetobacter) • Brevibacterium ammoniagenes (brevibacterium) • Campylobacter jejuni (Campylobacter) • Enterobacter aerogenes • Enterococcus faecalis (Enterococcus) • Enterococcus faecalis - Vancomycin resistant (VRE) • Escheria coli (E. coli) • Klebsiella pneumoniae (Klebsiella) • Pseudomonis cepacia (Pseudomonas) • Salmonella schottmuelleri (Salmonella) • Salmonella typhi (Salmonella) • Serratia marcescens • Shigella dysenteriae (Shigella) • Staphylococcus aureus Methicillin Resistant (MRSA) • Staphylococcus aureus Multi-Drug Resistant • Staphylococcus aureus - Vancomycin Intermediate Resistant - (VISA) • Streptococcus pyogenes (Strep) • Vibrio cholerae (Viruses:\*) • Hepatitis B Virus (HBV) • \*Herpes Simplex Virus Types 1 & 2 (Herpes) • \*HIV-1 (the Aids virus) • \*Influenza Type A/Brazil (influenza) • \*Respiratory Syncytial Virus (RSV) • \*Vaccinia (Pox Virus) (Animal Viursus:\*) Avian Influenza Virus • Avian Infectious Brinchnitis Virus • Canine Distemper Virus • Newcastle's Disease Virus • Pseudorabies Virus (Fungi:) Trichophyton mentagrophytes (the Athlete's Foot Fungus) Aspergillus niger

**DIRECTIONS FOR USE** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before use in a federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

#### DISINFECTANT/VIRUCIDAL \*DIRECTIONS:

Apply product undiluted to hard, nonporous surfaces with a cloth, mop, sponge, sprayer or by immersion, thoroughly wetting surfaces.

For sprayer applications, use a coarse spray device. Spray 6-8 inches from surface; rub with brush, sponge or cloth. Avoid breathing spray.

Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry.

Rinse all surfaces that come into contact with food, such as counters, stovetops and tables, with potable water before reuse. Do not use this product on utensils, glassware and dishes.

For heavily soiled areas, a preliminary cleaning is recommended.

This product is not for use on medical device surfaces.

**FUNGICIDAL DIRECTIONS:** For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities, follow disinfection directions. This product is an effective one-step fungicide against Trichophyton mentagrophytes.

**MOLD AND MILDEW CONTROL:** This product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection directions. Allow to air dry on surface. Repeat when mildew growth returns.

**NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. Empty toilet or urinal and apply this product to exposed surfaces and under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes, and flush.

**TO CLEAN AND DEODORIZE:** Apply undiluted to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry. **FOR USE ON FINISHED FLOORS:** Apply with a damp mop or autoscrubber. Allow floor(s) to remain wet for 10 minutes. Allow surface(s) to air dry.

**KILLS HIV-1 AND HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**

**PERSONAL PROTECTION:** Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection.

**CLEANING PROCEDURE:** Blood and other body fluids containing HIV or HBV must be thoroughly cleaned from surfaces and objects before application of this product.

**CONTACT TIME:** Leave surface wet for 1 minute (60 seconds) for HIV-1 and 10 minutes for HBV. Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

**DISPOSAL OF INFECTIOUS MATERIAL:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

### STORAGE AND DISPOSAL

Store in original container in areas inaccessible to children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Discard in trash or recycle.

Made in U.S.A.

For Industrial and Institutional Use